

ITEM CODE

# AMALFI - "A1"

# MODULAR ELECTRIC OVEN FOR PIZZERIA COMPOSITION WITH 1 BAKING CHAMBER



Date	 	
Project	 	
Location		

		MODEL	TI EIVI CODE
AMALFI K     AMALFI C/18 Z     AMALFI B     AMALFI S/95     castors • roues	COMP 1/S With stand Avec support	cm 102 x 140 x 160 cm 65 x 103 x 18 kW max 7,1	M01-AMALFI-A-1/S
AMALFI K     AMALFI C/18 Z     AMALFI B     AMALFI SP/95     castors • roues	COMP 1/SP  With stand with trayholder slide Avec support avec glissieres po		M01-AMALFI-A-1/SF
AMALFI K AMALFI C/18 Z AMALFI B AMALFI L/80 Castors · roues	COMP 1/L With prover Avec étuve	☐ cm 102 x 140 x 145 ▲ cm 65 x 103 x 18 kW max 8,6	M01-AMALFI-A-1/L

# OPTIONS AND ACCESSORIES (WITH SURCHARGE)

- ☐ Leavening compartment with wheels, height 800 mm(31 1/2")
- ☐ Stand with wheels, height 600 mm(23 5/8")
- ☐ Stand with wheels, height 800 mm(31 1/2")
- ☐ Stand with wheels, height 950 mm(37 3/8")
- Additional tray holder guides for compartment and stand
- ☐ Spacer element height 300 mm(11 13/16")

## (WITHOUT SURCHARGE)

Front vapour collection hood in stainless steel

## INTERNAL CONSTRUCTION

- ☐ All-around refractory brick baking chamber with internal spiral resistors
- ☐ Stainless steel chamber side guards
- ☐ High-density rock wool insulation
- ☐ Internal protected lighting with incandescent lamp
- ☐ Front blade heat saver

## **OPERATION**

- ☐ Electronic control panel with soft-touch buttons
- ☐ Independently regulate ceiling and floor heating elements
- ☐ Maximum temperature reached 450°C (840°F)
- ☐ Continuous temperature monitoring with thermocouple
- Vapour ducting using manual butterfly valve

## STANDARD EQUIPMENT

- ☐ Lighting with incandescent lamp
- ☐ Timer
- Economizer
- ☐ Independent maximum temperature safety device

## **EXTERNAL CONSTRUCTION**

- All-round stainless steel body
- ☐ Stainless steel vapor collection hood with pre-painted metal sheet panelling
- ☐ Side panels in pre-painted sheet metal
- ☐ Steam duct in stainless steel plate
- ☐ Stainless steel door with spring balance bottom hinge
- ☐ Tempered insulated glass windows
- ☐ High quality thermoplastic door and chimney handles
- ☐ Electronic control panel









# **Technical Data**

# **AMALFI "A" 1 CHAMBER**


(assembled with stand height 950 mm)
REAR VIEW

#### **TOP VIEW**





#### VIEW FROM RIGHT



Note: The dimensions indicated in the views are in millimetres.

#### **SPECIFICATIONS**

The **Amalfi Type A1** is composed by one (1) independently powered cooking chamber, a stand or an optional proofing cabinet. The baking chamber entirely built in refractory brick and the heating elements inside the stone, guarantee perfectly even heat distribution throughout the surface, which makes the Amalfi model an ideal deck oven for pizzerias. The oven reaches a maximum temperature of 450°C (840°F). The temperature controls are electronic with independent controls for the ceiling and floor heating elements. The chambers doors are bottom hinged with a wide tempered glass window for constant visual monitoring during the baking process. The stand is composed by a painted metal structure, whereas the proofing cabinet has a stainless steel structure and is fitted with a 65°C (150°F) manual thermostat, internal lighting and slide guides for baking sheets. The proofing cabinet can be used for prepping or as a temporary heated storage, thanks to the doors magnetic fasteners that ensure a secure closure.

### All the data provided below refer to the configuration with 1 baking chamber

## DIMENSIONS

External height	750 mm (29 1/2")
External depth	1651 mm (65")
External width	1020 mm (40 1/8")
Weight	245 Kg (540 lb)
Total baking surface	$0.7 \text{ m}^2 (7.5 \text{ ft}^2)$

### TOTAL BAKING CAPACITY

TOTAL DANING CAFACITT				
Pizza diameter 300 mm (12")	6			
Pizza diameter 450 mm (18")	2			
Tray (600x400) mm	2			
Tray (26"x18")	2			

## SHIPPING INFORMATION

	Packed in	wooden crate
)	Height	900 mm (35 7/16")
	Depth	1851 mm (72 7/8")
	Width	1220 mm (48")
	Weight	255 Kg (562 lb)

When combined with proofing cabinet or stand:

Max height 1850 mm (72 7/8")
Max weight 350 Kg (772 lb)

## **POWER SUPPLY**

A.C. V 240 3 ph 60Hz Max Power 7.7 kW (18.5 amps) \*Average consumption/h 3.8 kWh (9.2 amps)

Proofer power supply
A.C.V 240 1 ph 60 Hz
Max Power 1.8 kW(7.5 amps)

Average consumption /h.
0.9 kWh(3.7 amps)

\*This value is subject to variation according to the way in which the equipment is used.

Euro-Milan/ MORETTI FORNI S.P.A. reserves the right to modify the characteristics of the products illustrated in this publication without prior notice.

We accept no liability for misprints and other errors. There may be colour deviations due to the printing process.



