

AMALFI - "A3"

MODULAR ELECTRIC OVEN FOR PIZZERIA COMPOSITION WITH 3 BAKING CHAMBER



OPTIONS	AND	ACCE	SSO	RIES
(WITH SURC	HARGE	Ξ)		

Proofing	cahinet	with	whaale
 Prooning	cabinet	WILLI	writeers

height 800 mm (31 1/2")


- ☐ Stand with wheels, height 600 mm (23 5/8")
- ☐ Stand with wheels, height 800 mm (31 1/2")
- ☐ Stand with wheels, height 950 mm (37 3/8")
- Additional tray holder guides for compartment and
- stand
- ☐ Spacer element height 300 mm (11 13/16")
- Suction hood

(WITHOUT SURCHARGE)

Front vapour collection hood in stainless steel sheet

INTERNAL CONSTRUCTION

- ☐ All-around refractory brick baking chamber with internal spiral resistors
- ☐ Stainless steel chamber side guards
- ☐ High-density rock wool insulation
- ☐ Internal protected lighting with incandescent lamp
- ☐ Front blade heat saver



		MODEL	HEM CODE
AMALFI K AMALFI C/18 Z AMALFI C/18 Z AMALFI C/18 Z AMALFI S/60 Castors • roues	COMP 3/S ☐ With stand Avec support	cm 102 x 140 x 205 cm 65 x 103 x 18 kW max 21,3	M01-AMALFI-A-3/S
AHK AMALFI C/18 Z AMALFI C/18 Z AMALFI C/18 Z AMALFI SP/60 Castors • roues	COMP 3/SP	cm 102 x 140 x 205 cm 65 x 103 x 18 kW max 21,3 older slides issieres porte plateaux	M01-AMALFI-A-3/SP

EXTERNAL CONSTRUCTION

- All-around stainless steel body
- ☐ Stainless steel vapours collection hood with aluminised steel top cover
- ☐ Front vapour collection hood in enamelled steel sheet
- ☐ Side panels in pre-painted sheet metal
- ☐ Steam duct in stainless steel plate
- ☐ Stainless steel door with bottom hinge and spring balance
- Tempered insulated glass windows
- ☐ High quality thermoplastic door and chimney handles
- Electronic control panel

OPERATION

- ☐ Electronic control panel with soft-touch buttons
- ☐ Independently regulate ceiling and floor heating elements
- ☐ Maximum temperature reached 450°C (840°F)
- ☐ Continuous temperature monitoring with thermocouple
- Vapour ducting using manual butterfly valve

STANDARD EQUIPMENT

- ☐ Lighting with incandescent lamp
- ☐ Timer
- Economizer
- ☐ Independent maximum temperature safety device









Technical Data

AMALFI "A" 3 CHAMBERS

(assembled with stand height 600 mm)

TOP VIEW REAR VIEW





VIEW FROM RIGHT

Note: The dimensions indicated in the views are in millimetres.

SPECIFICATIONS

The Amalfi Type A3 is composed by three (3) independently powered cooking chambers, and a stand or an optional proofing cabinet. The baking chamber entirely built in refractory brick and the heating elements inside the stone guarantee perfectly even heat distribution throughout the surface, which makes the Amalfi model an ideal deck oven for pizzerias. The oven reaches a maximum temperature of 450°C (840°F). The temperature controls are electronic with independent controls for the ceiling and floor heating elements. The chambers doors are bottom hinged with a wide tempered glass window for constant visual monitoring during the baking process. The stand is composed by a painted metal structure, whereas the proofing cabinet has a stainless steel structure and is fitted with a 65°C (150°F) manual thermostat, internal lighting and slide guides for baking sheets. The proofing cabinet can be used for prepping or as a temporary heated storage, thanks to the doors magnetic fasteners that ensure a secure closure.

All the data provided below refer to the configuration with 3 baking chambers

SHIPPING INFORMATION **DIMENSIONS** Packed in wooden crate 1550 mm (61") Height External height 1800 mm (70 7/8") External depth 1651 mm (65") Depth 1851 mm (72 7/8") External width 1020 mm (40 1/8") Width 1220 mm (48") Weight 575 kg (1268 lb) Weight 585 kg (1290) Baking surface $3.1 \,\mathrm{m}^2 \,(33.37 \,\mathrm{ft}^2)$ **TOTAL BAKING CAPACITY** Pizza diameter 300 mm (12") 18

6

6

When	combined		with	leavening
compa	rtment	t or sta	and:	
Max he	eight	2750	mm ((108 2/8")
Max we	eight	67	0 kg (1500)

POWER SUPPLY

3.8 kWh (9.2 amps)

A.C. V240 3ph 60Hz Max power each deck 7.7 kW (18.5 amps) Average consumption/h

Each deck requires separate electrical connection

Proofer feeding A.C.V 240 1ph 60Hz Max power 1.5 kW (7.5 amps) *Medium consumption/h 0.8 kWh (3.7 amps)

* This value is subject to variation according to the way in which the equipment is used. Euro-Milan/ MORETTI FORNI S.P.A. reserves the right to modify the characteristics of the products illustrated in this publication without prior notice. We accept no liability for misprints and other errors. There may be colour deviations due to the printing process.



Pizza diameter 450 mm (18")

Tray (600x400) mm

Tray(26"x18")

